

DENTAL COUNCIL OF INDIA

Meeting File of the Executive Committee of the Dental Council of India held on 10th June, 2016 (Friday) in the Committee Room, Dental Council of India, Aiwan-E-Galib Marg, Kotla Road New Delhi at 11.00 A.M. in respect of Compliance Cases.

7(27) Eklavya Dental College & Hospital, Jaipur, Rajasthan

To consider the Joint Inspection Report of the Council's Inspectors Dr. Aditya Mitra, Kolkata and Dr. Mala Kamboj, Rohtak carried out on 25th May, 2016 to inspect and report on (i) standard and actual physical facilities made available for teaching BDS Course at Eklavya Dental College & Hospital, Jaipur, Rajasthan with 100 seats (ii) the compliance norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1. Dental teaching staff and Medical teaching staff details are not mentioned in Inspection Performa.
2. No students were seen (summer holiday 23rd to 31st May?).
3. 2 Interns were seen.
4. Students work could not be verified.
5. 2 Medical faculty were seen (no certificates were provided).
6. 13 MDS Staff were present on 25.05.2016.
7. 23 MDS Staff were present on 26.05.2016. No affidavits, MDS Certificates and Experience were provided No 16A, Residence Proof also.
8. On the Register 29 MDS Staff and 9 BDS & Medical staff.
9. Serious lack in total number which could not be verified. No papers of Physical Attendance were there.
10. No. of patients did not match with eye estimation.
11. Serious shortage of Equipments.
12. No. of Books did not match.
13. Biometric Machine not seen.
14. No Auditorium.
15. No Exam Hall.
16. The college did not provide a videographer despite repeated requests.
17. Medical Hospital attachment date was on 2004.
18. No Residence proof were given.
19. No experience certificate was shown.
20. No proof of work for final year students in conservative or prosthetic depts.
21. No leave letter were shown for any of the staff members.
22. No Central store was there.
23. No of beds break up details are not given till 1:15 pm on 26.5.2016.
24. Area Requirements details are not given.
25. There are following deficiencies of **Man Power Requirement** in Various departments:
Medical Staff: General Surgery-2, General Medicine-2, Obstetrics & Gyneacology-2, ENT-2, Paediatrics-2, Anaesthesia-2, Orthopaedics-2, Pharmacologist-1, Radiologist-1, GDMO-1, Community Medicine-1, Hospital Administration-1
Nursing Staff: Matron-1, Sister Incharge-6, O.T. Nurses-6, General Nurses-20, Labour Room Nurses-4
Health Staff: Female Health Assistant-1, Extension Educator Paramedical Staff-1, Lab Technician/Blood Bank Tech-4, ECG Technician-1, Pharmacist-4, Sr. Radiographer-1, CSSD-2, Medical Records-1
Engineering Staff: Civil-2, Mechanical-2, Electrical-2, Engineering Aid-4
Other Staff: Drivers-2, Carpenter-1, Cooks-2, Barber-1, Class IV including chowkiders-55
Administrative Staff: Office Superintendent-1, Head Clerk-1, Cashier-1, Stenographer-1, UDS-2, LDC-4

26. There are deficiencies of Two Professors in each department i.e. Oral Pathology-1, Periodontics-1
27. There are deficiencies of Six Readers in each department i.e. Prosthodontics-2, Conservative Dentistry-2, Oral & Maxillofacial Surgery-1, Public Health Dentistry-1
28. There are deficiencies of 22 Lecturers in each departments i.e. Prosthodontics-6, Conservative Dentistry-4, Oral & Maxillofacial Surgery-3, Periodontics-2, Orthodontics-1, Oral Medicine-1, Public Health Dentistry-3, Dental Materials-1, Dental Anatomy-1
29. There are deficiencies of 7 Readers in each departments i.e. Anatomy-1, Physiology & Biochemistry-1(?), Pathology & Microbiology-1(?), Pharmacology-1, General Medicine-1, General Surgery-1, Anesthesia-1
30. There are deficiencies of 13 Lecturers in the each departments i.e. Anatomy-2, Physiology & Biochemistry-2, Pharmacology-2, Pathology & Microbiology-2, General Medicine-2, General Surgery-2, Anesthesia-1
31. Random check of Community Dentistry education material and charts etc. – Not Shown
32. BDS Students appearing for Final Professional University Examination as per BDS Course Regulation, 1993* and 2007 should have completed the following clinical work – Not Shown.
33. **Non – Teaching Staff/ Ministerial Staff:** Managers/ Office Suptd.-4, Assistants-8, Receptionist-8, Librarian-1, D.S.A.(Chair side Attendant)-10, Dent. Tech. (Dental Mechanic)-6, Dent. Hygst.-3, Radiographer-2, Photographer-1, Artist-1, Programmer-1, Data Entry Operators-1, Physical Director-1, Engineer-1, Electricians-2, Plumber-1, Carpenter-1, Mason-1, A.C. Tech.-1, Helpers Electrical-1, Sweepers & Scavengers-10, Attenders-18, Security Personal-5, Dept. Secretaries-4, Driver-4, Nurses-3, Lab. Technicians-3
34. Central Library: As list given – Not seen on the Almirahs.
Journal Room – Not there
Computer / Internet Room – Not there
Room for Librarian – Not there
Photocopying Area- Not there
Staff available in the Library – 1 Librarian and 1 Assistant
35. Total No. of Dental Chairs are 107 and all are Non-Electrically Operated.
36. All the Chairs and units are not functioning and electrically operated.
37. There are following deficiencies of **Major Equipments** in Various Departments:
Prosthodontics and Crown & Bridge: Dental Chairs and Units – 32 Manual, Semi adjustable articulator, Extra oral/intra oral tracer, Extra oral/intra oral tracer, Curing unit, Dental casting machine, Surveying unit, Heavy duty hand piece, Autoclave, Needle burner with syringe cutter, Plaster Dispenser, Model Trimmer with Carborandum Disc, Model Trimmer with Diamond Disc, Acrylizer, Flask press, Deflasking unit, Dewaxing unit, Hydraulic Press, Mechanical Press, Vacuum mixing machine, Lab micro mortar, Curing pressure pot, Vibrator, Ultrasonic cleaner, Hot water sterilizer, Geysers, H.P. grinder with suction, Heavy duty lathe
Ceramic and Cast Partial Laboratory: Plaster Dispenser-2, Duplicator-1, Pindex System-1, Circular saw-1, Sandblasting machine-1, Electro-polisher-1, Model Trimmer with Diamond disc-1, Induction casting machine-1, Spot welder with soldering attachment of cable-1, Vacuum mixing machine-1, Steam Cleaner-1, Spindle Grinder 24,000 RPM with vacuum suction-1, Wax heater-1, Wax carver-1, Curing pressure pot-1, Milling machine-1, Heavy duty lathe with suction-1, Palatal trimmer-1, Ultrasonic cleaner-1, Composite curing unit-1, Micro surveyor-1
PRE-CLINICAL PROSTHETICS LABORATORY: Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool-60, Adequate number of lab micro motor with attached hand piece - 20
PLASTER ROOM FOR PRE-CLINICAL WORK: Plaster dispenser-2, Vibrator-2, Lathe-2, Model Trimmer-1, Carborandum Disc-1, Diamond disc-1

Conservative Dentistry and Endodontics: Dental Chairs and Units-8 Manual, Rubber dam kits-5, Restorative instruments kits, R.C.T. instrument kits, Autoclaves-2, Ultrasonic cleaner, Needle burner with syringe cutter, Amalgamator-2, Rubber dam kits-5, Pulp Tester-Digital, Apex Locator, Plaster dispensers, Vibrator, Ceramic Unit, Casting machine, Intra-oral X-ray Unit, Automatic Developer, Radiovisiography, Bleaching unit, Magnification loops, Injectable gutta percha, PHANTOM LAB UNIT-13

Chemical Laboratory: Plaster Dispenser, Model Trimmer, Lathe, Lab Micromotor, Ultrasonic cleaner, Spindle Grinder, Vibrator, Burnout furnace, Porcelain furnace, Sandblasting Machine, Lab Airrotor, Pindex System, Circular saw, Vacuum mixer, Pneumatic chisel, Casting machine

Oral Pathology and Oral Microbiology: Dental Chairs and Units-2, Wax bath, Water bath, Knife Sharpner, Spencer knife

Oral & Maxillofacial Surgery: Dental Chairs and units-16 (14 manual Adj. room not shown), Autoclave- 2 (manual top loading), Ultrasonic Cleaner-2, Minor Oral Surgery kits-6

Minor Surgery: Dental Chairs and units-4

Periodontology: Dental Chairs and units-24 (10 manual) (atleast 25% of the units should have the Airpolisher,, Autoclave, Ultrasonic scaler, Electro surgical cautery, Laser, Surgical motor with physio dispenser

Orthodontics: dental Chairs and Units-11(7 manual), Unit mount scaler, Autoclave, Ultrasonic Cleaner

ORTHO LAB: Plaster dispenser, Vibrator, Model Trimmer, Micromotor, Lathe, X-ray viewers, OPG with cephalostat, Welders, Typodont, Hydro solder, Typhodont articulator, Pressure moulding machine

Paediatric and Preventive Dentistry: Dental Chairs and Units-21(manual), Autoclaves, Ultrasonic cleaner-2(small), Needle Burner with syringe cutter, Pulp Tester-Digital, Rubber dam kit for pedo, Apex locator, Endo motor, Injectable gutta percha with condensation, Radiovisiography, Intra Oral Camera, Scaling instruments-(hand),Intra-oral X-ray, Automatic Developer, Computer

PEDO LAB: Plaster dispenser, Model Trimmer, Model Trimer, Welder with soldering attachments, Vibrator, Lab micro motor, Dental Lathe, Model Trimmer, Steam cleaner, Pressure moulding machine, Carborandum Disc, Diamond disc

Oral Medicine and Radiology: Dental Chairs and Units-1 (11 manual), Pulp testers, Automatic periapical X-ray Developer, Automatic Panoramic with Cephalometric X-ray Developer, X-ray viewer (broken), Radiovisiography, General X-ray Unit, Ortho Pantmograph (same with OPG), Automatic Developers/Dark Room, Lead aprons, Lead Gloves, X-ray viewers, Diagnostic Kits-25, Autoclave (manual), Computers, Intra Oral Camera, Needle Burner with Syringe Cutter

Public Health Dentistry: Dental Chairs and Units-(16 Manual), Autoclaves, Ultrasonic cleaner, Needle burner with syringe cutter, MOBILE CLINIC: Mobile dental van-(van without attachments), Dental chair with unit, Autoclaves, Intraoral x-ray, Glass bead sterilizers, Compressor, Metal Cabinet, Portable dental chair, Stabilizer, Generator, Water tank, Oxygen cylinder, Public address system, TV and video cassette player, Demonstration models

38. **Constructed Area:** As per map not verified
 39. Principals Bunglow not there.
 40. Hostel for Boys & Girls: Not seen
 41. 100 bedded General Hospital- Document not given
 42. Teaching Staff: Not there
43. **Infrastructure & Functional Requirements:** The inspectors mark not seen, not there, ?
 viz:

Infrastructure	Availability
Administrative block	
Library	5072 sq. ft.

Lecture Halls – 4	3 is there
Central Stores	Not Seen
Maintenance room	Not Seen
Photography and artist room	Not Seen
Amenities area	?
Compressor and room for gas plant	?
Examination hall	Not Seen
Auditorium (To accommodate at least 500 people)	Not there
Laboratory for orthodontics and Paedodontics	Combined
Laboratories (Clinical)	
Conservative Dentistry	Not there
Oral pathology for histopathology	
Haematology and clinical biochemistry	

7(29) **Karpaga Vinayaga Institute of Dental Sciences, Kancheepuram**

To consider the Joint Inspection Report of the Council's Inspectors Dr. K. Nillan Shetty, Mangalore and Dr. Rohit Miglani, Bihar carried out on 23rd & 24th May, 2016 to inspect and report on (i) standard and actual physical facilities made available for teaching BDS Course at Karpaga Vinayaga Institute of Dental Sciences, Kancheepuram with 100 seats (ii) the compliance norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1. The HOD Chamber & Staff Rooms in Prosthodontics, Orthodontics, Periodontics, Conservative Dentistry, Community Dentistry were seen to be inadequate.
2. In all other departments the clinical material seen to be inadequate as per DCI norms.
3. Non-Teaching faculty like the Qualified Nurses, Attenders, Receptionists, were acutely short in all the departments considering the volume of work going on the dental college.
4. Two junior faculty are living in Chennai which is 55-60 km away from the dental college campus. Both the Principal and Vice-Principal also are residing in Chennai again traveling 55-60 km one way on a daily basis reading approx. 90 km to travel on way.
5. **Non – Teaching Staff/ Ministerial Staff:** Managers/ Office Suptd.-3, Receptionist-6, Radiographer-1, Physical Director-1, Engineer-1, Attenders-8, Dept. Secretaries-4, Driver-4
6. There are following deficiency of Major Equipment in Various Departments:
Prosthodontics and Crown & Bridge: Autoclave-1 and Phantom Heads-40
Ceramic and Cast Partial Laboratory: Ultrasonic Cleaner-1
Conservative Dentistry and Endodontics: Rubber dam kits-2, Restorative Instruments kits-5R.C.T. Instruments kits-5, Autoclaves-2, Rubber dam kits-2, Pulp Tester- Digital-2,

Cont'd...

Ceramic Unit-1(share with Prosthodontics) , Casting Machine-1(share with Prosthodontics), Radiovisiography-1 Magnification loops-2

Chemical Laboratory: Burnout furnace-1, Porcelain furnace-1

Oral & Maxillofacial Surgery: Autoclaves-2, Ultrasonic Cleaner-1, Extraction forceps sets-10

Orthodontics: Unit mount scaler-3, Typodont-4

Oral Medicine and Radiology: General X- ray Unit-1, Biopsy Kit-1, Intra Oral Camera-1

7(30) **Hi-Tech Dental College & Hospital, Bhubaneswar**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Mukesh Dhanda, Dehradun and Dr. Mridula Trehan, Jaipur carried out on 24th & 25th May, 2016 to inspect and report on (i) standard and actual physical facilities made available for teaching BDS Course at Hi-Tech Dental College & Hospital, Bhubaneswar with 100 seats (ii) the compliance norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

1. The list of patients in the Reception and in the Department of Oral Medicine and Radiology is not matching.
24.5.2016 – 60 (OMR) and 71 (Reception) 25.5.2016 – 97 (OMR) and 100 (Reception)
 - This is the list of new patients (as per the college authorities) but there was no record of old patients neither in the dept of Oral Medicine & Radiology nor in the Reception and it was not provided to us inspite of repeated requests.
 - The OPD of last 6 months was also not provided to us inspite of repeated reminders.
2. There are following Dental Teaching Staff / Medical Teaching Staff were absent on the day of Inspection:
 - (i) Dr. Nagaveni S. Somayaji, Lecture, Prosthodontics (on 24.5.2016 & 25.5.2016)
 - (ii) Dr. Baratam Anil Kumar Patra, Tutor, Prosthodontics (on 24.5.2016 & 25.5.2016)
 - (iii) Dr. Suroopa Das, Lecturer, Conservative Dentistry & Endodontics (on 24.5.2016 & 25.5.2016)
 - (iv) Dr. Chaitanya S H., Lecturer, Oral & Maxillofacial Surgery (on 24.5.2016 & 25.5.2016)
 - (v) Dr. Gouresh Ku. Patel, Lecturer, Periodontics (on 24.5.2016 & 25.5.2016)
 - (vi) Dr. Pradeep Ku. Behera, Tutor, Periodontics (on 24.5.2016 & 25.5.2016)
 - (vii) Dr. Manas Ranjan Rout, Tutor, Paedodontics & Preventive Dentistry (on 24.5.2016 & 25.5.2016)
 - (viii) Dr. Subrajit Rout, Lecturer, Oral & Maxillofacial Surgery (on 24.5.2016)
 - (ix) Dr. G.D. Shangdiar, MDS, Lecturer (on 24.5.2016)
 - (x) Dr. Sunita Satpathy, Tutor, Oral Medicine (on 24.5.2016)
 - (xi) Dr. Laxmikanta Nayak, Tutor, Oral Pathology & Microbiology (on 24.5.2016)
 - (xii) Dr. K.V.V. Pratap Varma, Professor, Orthodontics (on 24.5.2016)
 - (xiii) Dr. Pavithra Bai. M, Lecturer, Orthodontics (on 24.5.2016)
 - (xiv) Dr. Reetik Ranjan Das, Tutor, Orthodontics (on 24.5.2016)
 - (xv) Dr. Sheketh Rama Rao B, Professor, Conservative Dentistry & Endodontics(on 24.5.2016)
 - (xvi) Dr. Maneesha Das, Lecturer, Conservative Dentistry & Endodontics (on 24.5.2016)
 - (xvii) Dr. Abhishek Das, Lecturer, Conservative Dentistry & Endodontics (on 24.5.2016)
 - (xviii) Dr. Genievieve Darisuklang Shangdiar, Lecturer, Pediatrics & Preventive Dentistry (on 24.5.2016)
 - (xix) Dr. L. Chandra Sekhar, Prof.& HOD, Periodontology (on 24.5.2016)
 - (xx) Dr. Sampath Sunder, Reader, Periodontology (on 24.5.2016)
 - (xxi) Dr. Pradeep Kumar, Behera, Tutor, Periodontology (on 24.5.2016)
 - (xxii) Dr. K. Murugesan, Professor & HOD, Oral & Maxillofacial Surgery (on 24.5.2016)
 - (xxiii) Dr. Kalinga Keshari Sahoo, Reader, Prosthodontics (on 25.5.2016)
3. The University has given extension of provisional affiliation for BDS Course to the college for the session 2015-16 subject to fulfillment of conditions (compliance report was not provided to us) with in 6 months failing which the college shall stand de-affiliated.
4. Many of the teaching staffs were not present on the day of inspection.

Cont'd...

5. There are 183 dental chairs out of which almost 50% are not in working condition.
6. There is 1 OPG with cephalostat in the Radiology Dept. but it is not functional since the last 1 ½ years
7. There is a deficiency of Clinical Material in the college. On the days of inspection, the numbers of patients shown are much more than on the other days.
8. The library does not have nay computer or internet connection.
9. There is no separate staff reading room.
10. There is no Journal Room available.
11. There is no Room for librarian available.
12. There is no Photocopying area available.
13. The Journals present in the library were only for the years 2007-2008.
14. There is no mess either in the Boys or Girls Hostel. There is a common canteen in the campus.
15. Since the students were on vacation, their clinical work could not be verified.
16. In Central Library seating capacity is 100.
17. There are following deficiencies of **Major Equipments** in Various Departments i.e.:
 - Prosthodontics and Crown & Bridge:** Dental Chairs and Units-3, Extra oral / intra oral tracer-2, Surveying unit-1, Needle burner with syringe cutter-2, Model trimmer with Carborandum Disc-1, Curing pressure pot-1, Porcelain furnace-1, Sand blasting unit-1, Hot water sterilizer-2, Phantom Heads-20
 - Ceramic and Cast Partial Laboratory:** Duplicator-1, Circular Saw-1, Electro-polisher-1, Model Trimmer with Diamond disc-1, Induction casting machine-1, Spot welder with soldering attachment of cable-1, Wax heater-1, Wax Carver-1, Curing pressure pot-1, Milling machine-1, Heavy duty lathe with suction-1, Composite curing unit-1, Diamond disc-1
 - Conservative Dentistry and Endodontics:** Dental Chairs and Units-1, Rubber dam kits-2, Restorative instruments kits-5, R.C.T. instrument kits-5, Autoclaves-2, Ultrasonic cleaner-1, Amalgamator-1, Apex Locator-1, Vibrator-1, Automatic Developer-1, Magnification loops-2
 - Clinical Laboratory:** Model Trimmer with Diamond disc-1, Lab Micromotor-1
 - Oral Pathology and Oral Microbiology:** Dental Chairs and unit-2, Microscopes-15, Wax bath-1, Spencer knife-1
 - Oral & Maxillofacial Surgery:** Needle burner with syringe cutter-3, Extraction forceps sets-15, Dental elevators-5, Minor Oral Surgery Kits-5, Computer-1
 - Periodontology:** Dental Chairs and units-9 (Atleast 25% of the units should have the Airpolisher)- Nil, Scaling Instrument sets-7, Surgical Instrument sets-5, Autoclave-2, Needle burner with syringe cutter-5, Laser-1, Surgical Motor with Physio dispenser-1
 - Orthodontics:** Unit mount scaler-4, Autoclave-1, Ultrasonic cleaner-2
 - Ortho Lab:** Plaster Dispenser-2, OPG with cephalostat-1 (non functional), Welders-4, Typodont-2, Welder with soldering attachments-1, Typhodont articulator-2
 - Paediatric and Preventive Dentistry:** Autoclave-1, Ultrasonic cleaner-1, Needle burner with syringe cutter-2, Pulp Tester –Digital-1, Rubber dam kit for pedo-1, Apex locator-1, Endo motor-1, Injectable gutta percha with condensation– 1, Radiovisiography-1, Intra Oral Camera-1, Scaling instruments-8, Extraction forceps-8, Automatic Developer-1, Computer-1
 - Pedo Lab:** Plaster dispenser-2, Model Trimmer with diamond disc-1, Model Trimer Double disc one diamond and one carborandum disc-1 Welder with soldering attachments-1, Vibrator-2, Lab micro motor-3, Dental Lathe-1, Model Trimmer-1, Steam cleaner-1, Pressure moulding machine-1, Carborandum Disc-1, Diamond disc-1
 - Oral Medicine and Radiology:** Panoramic X-ray with Cephalometric-1 (in oral medicine but non-functional), intra Oral X-ray Unit-2, Automatic Panoramic with Cephalometric X-ray Developer-2, Radiovisiography-1, Ortho Pantomorph-1, lead gloves-1, X-ray hangers-4, X-ray viewers-18, Biopsy Kit-1, Computers-2, Intra Oral Camera-2, Needle burner with syringe cutter-1
 - Public Health Dentistry:** Dental Chairs and units-2, Autoclaves-3, Ultrasonic Cleaner-2, Needle burner with syringe cutter-2, Intraoral X-ray-1, Glass bead sterilizers-2

To consider the Joint Inspection Report of the Council's Inspectors Dr. R.K. Tewari, Aligarh and Dr. R.K. Sharma, Rohtak carried out on 27th & 28th May, 2016 to inspect and report on (i) standard and actual physical facilities made available for teaching BDS Course at Institute of Dental Sciences, Jammu with 100 seats (ii) the compliance norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1. There are deficiencies of Man Power Requirement in the following departmental staff:-
Medical Staff:- Pharmacologist – 1, Community Medicine – 1.
Health Staff:- CSSD – 2.
2. Following deficiencies in the Dental / Medical Teaching Staff:-
 1. There is deficiency of 1 Professor and 1 Reader in the department of Oral Pathology & Microbiology.
 2. There is deficiency of 1 Lecturer in the department of Physiology.
3. There are deficiencies of Major Equipments in the following departments:-

Prosthodontics and Crown & Bridge:- Semi adjustable articulator – 1, Extra oral / intra oral tracer - 2 Surveying unit – 1, Autoclave – 2, Needle burner with syringe cutter – 1, Acrylizer – 1, Deflasking unit – 3, Dewaxing unit – 1, Lab Micro Motor – 1, Porcelain furnace – 1, Vibrator – 1, Geysers – 2, H.P. grinder with suction – 3, Heavy duty lathe – 50, Pre-clinical working tables – 50.

Ceramic and Cast Partial Lab:- Plaster Dispenser – 1, Elector-polisher – 1, Spot welder with soldering attachment of cable – 1, Steam Cleaner – 1, Spindle Grinder 24,000 RPM with vacuum suction – 1, Wax carver – 1, Heavy duty lathe with suction – 1, Vibrator – 1.

Conservative Dentistry & Endodontics:- Rubber dam kits – 2, Autoclaves – 3, Ultrasonic Cleaner – 2, Needle burner with syringe cutter – 2, Rubber dam kits – 1, Pulp Tester- Digital – 4, Apex Locator – 1, Glass bead sterilizers – 3, Plaster dispensers – 2, Vibrator – 2, Ceramic Unit – 1, Automatic Developer – 1, Bleaching unit – 1, Magnification loops – 1.

Oral & Maxillofacial Surgery:- Autoclave – 2, Ultrasonic Cleaner – 2, Needle burner with syringe cutter – 3.

Periodontology:- Only one chair have the Airpolisher, Autoclave – 3, Ultrasonic scaler – 2, Electro Surgical Cautery – 1, Needle burner with syringe cutter – 2, Surgical motor with physio dispenser – 1.

Orthodontics & Dentofacial Orthopedics:- Unit mount scaler – 5, Autoclave – 2, Ultrasonic Cleaner – 2, Plaster dispenser – 1, Vibrator – 2, Model Trimmer – 1, Micromotor – 3, Lathe – 1, X-ray viewers – 1, OPG with cephalostat – 1, Welders – 1, Blue torch – 1, Base formers – 4, Typodont – 4, Hydro solder – 1, Typhodont articulator – 4.

Paedodontics & Preventive Dentistry:- Autoclaves – 2, Ultrasonic cleaner – 2, Needle burner with syringe cutter – 2, Pulp tester-digital – 1, Rubber dam kit for pedo – 3, Automatic developer – 1.

Pedo Lab:- Plaster dispenser – 2, Model Trimmer – 1 with diamond disc, Model Trimmer with double disc one diamond and one carborandum disc – 1, Welder with soldering attachments – 1, Vibrators – 2, Lab micro motor – 3, Dental Lathe – 1, Steam Cleaner – 1, Pressure moulding machine – 1, Carborandum disc – 1, Diamond disc – 1.

Oral Medicine & Radiology:- Intra Oral X-ray unit – 1, Pulp testers – 2, X-ray viewer – 1, Automatic Developer / Dark room – 1, Lead aprons – 1, Lead gloves – 1, X-ray Hangers – 3, Biopsy kit – 1, Intra oral camera – 1, Needle burner with syringe cutter – 1.

Public Health Dentistry:- Dental Chairs and Units – 1, Autoclaves – 2, Ultrasonic Cleaner – 2, Needle burner with syringe cutter – 3, Autoclaves – 1, Intra oral x-ray – 1, Public address system – 1, TV and Video cassette player – 1.

4. Following Medical Teaching Staff were absent on 27th May 2016:-

1. Dr. Sana Mehmood, Anatomy
2. Dr. Tripta Kumari, Physiology
3. Dr. Lekha Raj, Bio-chemistry
4. Dr. Gulshan Banoo, Pharmacology
5. Dr. Gurjyot Kour, Pharmacology
6. Dr. Rajinder Singh, Microbiology
7. Dr. T.S. Didwal, General Medicine
8. Dr. Satbir Singh, General Medicine
9. Dr. Neeraj Sharma, General Medicine
10. Dr. Tejsvi Sharma, General Surgery
11. Dr. Shanti Swarup Sharma, Anesthesia
12. Dr. Rajdeep Kour, Anesthesia

Following Medical Teaching Staff were absent on both days (27th & 28th May 2016):-

1. Dr. Lekh Raj, Bio-chemistry
2. Dr. Gurjyot Kour, Pharmacology
3. Dr. Tejsvi Sharma, General Surgery

5. Following Dental Teaching Staff came late in the college on 27th May 2016:-

1. Dr. Nikhil D. Wazir, Conservative Dentistry at 10:50 A.M.
2. Dr. Nidhi Khajuria, Oral Pathology at 10:20 A.M.
3. Dr. Sudesh Kumar, Oral Surgery at 1:05. P.M.
4. Dr. Sunil Mahajan, Periodontics at 1:00 P.M.
5. Dr. Harvinder Singh, Prosthodontics at 10:30 P.M.

6. Following Dental Teaching Staff were absent on 27th May 2016:-

1. Dr. Anirudh S. Kale, Conservative Dentistry
2. Dr. Sandeep Saini, Orthodontics
3. Dr. Vikas Gupta, Orthodontics
4. Dr. Gurbinder Singh Bali, Orthodontics
5. Dr. Keshav Singla, Conservative Dentistry
6. Dr. Mandeep Kour, Conservative Dentistry
7. Dr. Rameesa Rashid, Conservative Dentistry
8. Dr. Tandeep Kour, Conservative Dentistry
9. Dr. Sonam, Oral Pathology
10. Dr. Richa Sharma, Oral Pathology
11. Dr. Kunal Vuthoo, Oral Pathology
12. Dr. Himja Nargotra, Oral Pathology
13. Dr. Umang Jamwal, Oral Pathology
14. Dr. Preeti Tulli, Oral Surgery
15. Dr. Harsheen Kour, Oral Surgery
16. Dr. Prem Lata, Oral Surgery
17. Dr. Aditi Goel, Oral Surgery
18. Dr. Pankaj Khurana, Periodontics
19. Dr. Vipul Gupta, Periodontics
20. Dr. Akanksha Kashwap, Periodontics
21. Dr. Neha Sethi, Periodontics
22. Dr. Bangeet Kour, Periodontics
23. Dr. Y.K. Singla, Prosthodontics
24. Dr. Puneet Mahajan, Prosthodontics
25. Dr. Rashmi Garg, Prosthodontics
26. Dr. Vishal Choudhary, Prosthodontics
27. Dr. Bhavana Sharma, Prosthodontics
28. Dr. Poonam Singla, Prosthodontics

29. Dr. Kanwarbir Kour, Prosthodontics
30. Dr. Aditi Sharma, Prosthodontics
31. Dr. Disksha Kudyar, Prosthodontics
32. Dr. Vibha Ojha, Prosthodontics
33. Dr. Taruna Khera, Pedodontics
34. Dr. Jugesh Mahajan, Pedodontics
35. Dr. Blessy Bansal, Pedodontics
36. Dr. Sakshi Bamba, Pedodontics
37. Dr. Isha Vaid, Pedodontics
38. Dr. Varun Gupta, Pedodontics
39. Dr. Syed Nazia Masoom, Oral Medicine
40. Dr. Harleen Bali, Oral Medicine
41. Dr. Vibhuti Koul, Oral Medicine
42. Dr. Divya Sharma, Oral Medicine
43. Dr. Amandeep Kour, Oral Medicine
44. Dr. Amandeep Singh, Public Health Dentistry
45. Dr. Tanuj Minocha, Public Health Dentistry
46. Dr. Kamaljit Singh, Public Health Dentistry
47. Dr. Gurdeep Singh, Public Health Dentistry

7. Following Dental Teaching Staff were absent on 28th May 2016:-

1. Dr. Anirudh S. Kale, Conservative Dentistry
2. Dr. Vikas Gupta, Orthodontics
3. Dr. Ramta Bansal, Conservative Dentistry
4. Dr. Mandeep Kour, Conservative Dentistry
5. Dr. Sonam, Oral Pathology
6. Dr. Preeti Tulli, Oral Surgery
7. Dr. Harsheen Kour, Oral Surgery
8. Dr. Neha Sethi, Periodontics
9. Dr. Pankaj Khurana, Periodontics
10. Dr. Prashant Singh, Periodontics
11. Dr. Akanksha Kashwap, Periodontics
12. Dr. Bangeet Kour, Periodontics
13. Dr. Vipul Gupta, Periodontics
14. Dr. Bhavna Sharma, Prosthodontics
15. Dr. Poonam Singla, Prosthodontics
16. Dr. Kanwarbir Kour, Prosthodontics
17. Dr. Aditi Sharma, Prosthodontics
18. Dr. Diksha Kudyar, Prosthodontics
19. Dr. Vibha Ojha, Prosthodontics
20. Dr. Blessy Bansal, Paedodontics
21. Dr. Sarabjit Singh, Oral Medicine
22. Dr. Harleen Bali, Oral Medicine
23. Dr. Tanuj Minocha, Public Health Dentistry

8. Observations:-

1. **Faculty:-**

- (i) Less than one third of the faculty was available upto 75 minutes of starting time of the dental college timing.
- (ii) Significant number of dental & medical faculty either reported more than two hours late or was absent on first day of inspection as reflected through the attendance of the first day.
- (iii) Principal was absent on the first day without any leave.
- (iv) Some of the faculty could not produce residential proof.
- (v) There is shortage of four dental faculty at lecturer level.

2. **Equipments:-**

- (i) There was only one autoclave as per Dental Council of India specification against the total no. of 18 required in all the departments in toto.
 - (ii) Deficiency in equipments in various departments is reflected in inspection proforma.
 - (iii) There is shortage of one dental chair in Public Health Dentistry.
 - (iv) Attachment one dental chair was either not present or non functional in almost 80 to 80% of the total dental chairs in each department.
 - (v) Physio dispenser was not in working condition in department of Periodontology.
3. Library:- The college has not purchased any International Journal belonging to dental specialities in last eight years.
 4. Dental Van:- As per college authorities, the dental van met an accident so it was sent to workshop for repair and maintenance. On physical verification, it was found that van was in very bad shape and was present in the workshop.
 5. The Anatomy department could not produce the indent/any record of Procurement of Cadaver.

Overall all observation is that college needs improvement in all respect from faculty position to equipments.

7(32) Purvanchal Institute of Dental Science, Uttar Pradesh

To consider the Joint Inspection Report of the Council's Inspectors Dr. Sunil Sharma, Jaipur and Dr. Omkar Shetty, Navi Mumbai carried out on 3rd & 4th June, 2016 to inspect and report on (i) standard and actual physical facilities made available for teaching BDS Course at Purvanchal Institute of Dental Sciences, Uttar Pradesh with 100 seats (ii) the compliance norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1. There are deficiencies of Man Power Requirement in the department of **Health Staff** i.e.: Female Health Assistant-1, Extension Educator Paramedical Staff-1, Lab Technician/Blood Bank Tech-4, ECG Technician-1, Pharmacist-4, Sr. Radiographer-1.
2. There are following Dental Teaching Staffs/ Medical Teaching Staffs were absent on the day of Inspection:
 - (i) Dr. Neha Bhutani, Reader, Periodontics, was on maternity leave (3.6.2016 & 4.6.2016)
 - (ii) Dr. Brijesh Kumar Maurya, Periodontics (3.6.2016 & 4.6.2016)
 - (iii) Dr. Ravi Kumar Nigam, Public Health Dentistry (3.6.2016 & 4.6.2016)
 - (iv) Dr. Piyush Kumar Rai, Lecturer, General Medicine (3.6.2016 & 4.6.2016)
 - (v) Dr. Mohd. Umar Farooq Khan, Lecturer, Public Health Dentistry (3.6.16)
3. There is deficiency of one lecturer in the department of General Medicine.
4. There are following deficiencies in Non – Teaching Staff/ Ministerial Staff: Managers/ Office Suptd-1, Assistants-1, Receptionist-4, D.S.A.(Chair side Attendant)-2, Dent. Tech. (Dental Mechanic)5, Dent. Hygst.-1, Radiographer-2, Photographer-1, Artist-1, Programmer-1, Carpenter-1, Attenders-11, Lab. Technicians-2.
5. The seating capacity in central library is 96.
6. Attached Gen. Hospital is non functional. All most all medical teaching faculty are visiting as they don't have local address proof.
7. Occupancy in the Gen. Hospital was NIL on the day of Inspection.
8. Shortage of Clinical Material. Average of last six month in dental college is 127 (old+new) & Average O.P.D. of Gen. Hospital is 142 for last six months. (All manipulated. No patient seen in inspection)
9. Shortage of administrative & non teaching staff.
10. Library facilities are not adequate.
11. There are no journals for 2015-16, no e-journals, no photocopy area.
12. Shortage of dental chairs, equipments & Instruments.
13. Biometric machine is not been installed.

14. Central store registers are not maintained bills could not be verified.
15. Mobile dental van could not be checked & as per the college authorities it is sent for repair.
16. No separate labs in Orthodontics, Paedodontics & Conservative Dentistry.
17. 34 phantom heads & shared with Prosthodontics.
18. No Radiation safety.
19. Cleanliness & Sterilization facilities are compromised.
20. 32 dental teaching faculty are residing in 8 staff quarters.
21. There are following deficiencies of Major Equipments in Various Department viz.:

Prosthodontics and Crown & Bridge: Semi adjustable articulator-1, Extra oral/intra oral tracer-2, Dewaxing unit-1, Curing unit-1, Heavy duty hand piece-3, Autoclave-2 (Top loading non functional), Model Trimmer with Carborandum Disc-1, Model Trimmer with Diamond Disc-2 (non functional), Acrylizer-2, Flask press-3, Deflasking unit-4, Dewaxing unit-2, Hydraulic Press-3, Mechanical Press-1, Vacuum mixing machine-3, Lab Micro motor-1, Vibrator-1, Sand blasting unit-2 (non functional), Ultrasonic cleaner-1, Model Trimmer-1, Geysers-1, Heavy duty lathe-16, Phantom heads-50 (share with conservative dentistry)

Ceramic and Cast Partial Laboratory: Duplicator-1, Circular Saw-1, Sandblasting machine-2(non functional), Electro-polisher-1, Model Trimmer with Carborandum disc-1, Spot welder with soldering attachment of cable -1, Steam Cleaner-1, Curing pressure pot-1, Milling machine-1, Composite curing unit-1, Micro surveyor-1, PRE-CLINICAL PROSTHETICS LABORATORY-10, Carborandum disc-1

Conservative Dentistry and Endodontics: Ultrasonic cleaner-1, Amalgamator-2, Pulp Tester-Digital-2, Apex Locator-1, Plaster dispensers-1, Vibrator-2(share with prosthodontics), Ceramic unit-1(share with prosthodontics), Casting machine-1(share with prosthodontics), Automatic Developer-1, Injectable gutta percha-2, Phantom lab unit-26 (Share with Prosthodontics)

Chemical Laboratory: (Share with prosthodontics) Plaster Dispenser-2, Model Trimmer with Carborandum disc-1, Model Trimmer with Diamond disc-1, Lathe-2, Lab Micromotor-3, Ultrasonic cleaner-1, Spindle Grinder-1, Vibrator-2, Burnout furnace-1, Porcelain furnace-1, Sandblasting Machine-1, Lab Airrotor-1, Pindex System-1, Circular saw-1, Vacuum mixer-1, Pneumatic chisel-1, Casting machine-1

Oral Pathology and Oral Microbiology: Wax bath-2

Oral & Maxillofacial Surgery: Dental Chairs and units-5

Periodontology: Dental Chairs and units- (atleast 25% of the units should have the Airpolisher)-NIL, Ultrasonic cleaner-1, Needle burner with syringe cutter-3, Laser-1, Surgical motor with physio dispenser-1

Orthodontics: Unit mount scaler-5, Plaster dispenser-2, Vibrator-2, Model Trimmer-2, Micromotor-4, Lathe-2, X-ray viewers-2, Welders-1, Base Formers-3, Typodont-2, Hydro solder-1, Typodont articulator-4, Pressure moulding machine-1

Paediatric and Preventive Dentistry: Autoclave-1(non functional), Ultrasonic cleaner-2, Amalgamator-1, Apex locator-1, Endo motor-1, Injectable gutta percha with condensation-1, Automatic Developer-1

Pedo Lab: Plaster dispenser-2, Model Trimmer with diamond disc-1, Model Trimmer with Double disc one diamond and one carborandum disc-1, Welder with soldering attachments-1, Vibrator-2, Lab micro motor-3, Dental Lathe-1, Model Trimmer-1, Steam cleaner-1, Pressure moulding machine-1, Carborandum Disc-1, Diamond disc-1

Oral Medicine and Radiology: Intra Oral X-ray unit-2, Automatic Periapical with Cephalometric X-ray Developer-1(non functional), Radiovisionography-1, General X-ray unit-1, Automatic Developer/Dark Room-2, Lead aprons-1, Lead Gloves-1, Diagnostic Kits-20, intra Oral Camera-1

Public Health Dentistry: Autoclaves-2 (non functional), Ultrasonic cleaner-2, Needle burner with syringe cutter-2

7(33) **Priyadarshini Dental College & Hospital, Tamil Nadu**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Dolly Pankaj Patel, Ahmedabad and Dr. Omkar Shetty, Navi Mumbai carried out on 26th & 27th May, 2016 to

Cont'd...

inspect and report on (i) standard and actual physical facilities made available for teaching BDS Course at Priyadarshini Dental College & Hospital, Tamil Nadu with 100 seats (ii) the compliance norms prescribed by the Council with regard to the teaching load, admission strength etc. by the institution and (iii) the general overall impression about the institution.

Compliance

1. Following Dental Teachings Staff were absent on the day of Inspection:-

1. Dr. Vijayanand.S, Reader, Prosthodontics
2. Dr. Anjana Rajendran, Sr. Lecturer, Conservative Dentistry
3. Dr. I.Paavai Arul Pari, Reader, Periodontology
4. Dr. Bharath.R, Lecturer (26.05.2016)
5. Dr. Prem Karthick, Tutor, Oral Pathology (26.05.2016)
6. Dr. N.Kingsen Blessly Isaac, Sr. Lecturer, Oral Surgery (26.05.2016)
7. Dr. K.Nivethitha, Oral Pathology
8. Dr. D.Subashini, Oral Pathology
9. Dr. A. Priya, Tutor
10. Dr. G. Nandhini Priya, Tutor
11. Dr. Jeyakumar, Tutor
12. Dr. Venu Rekha
13. Dr. Kiruthiga

2. There is deficiency of 1 Reader in the department of Public Health Dentistry.
3. There are deficiencies of Non-Teaching Staff / Ministerial Staff i.e. Dent. Tech. (Dental Mechanic) – 4, Dent. Hygst. – 2.
4. There are deficiencies of Major Equipments in the following departments:-

Prosthodontics and Crown & Bridge:- Needle Burner with Syringe Cutter – 1, Deflasking Unit – 4, Hydraulic Press – 1, Porcelain Furnace – 1, Sand Blasting Unit – 2, Ultrasonic Cleaner – 1, Geysers – 1, H.P. grinder with suction – 2, Phantom Heads – 50.

Ceramic and Cast Partial Lab:- Duplicator – 1, Circular Saw – 1, Sandblasting Machine – 1, Electro-polisher – 1, Induction casting machine – 1, Spot welder with soldering attachment of cable – 1, Steam Cleaner – 1, Wax Heater – 1, Wax Carver – 1, Milling Machine – 1, Composite Curing Unit – 1, Micro Surveyor – 1.

Conservative Dentistry & Endodontics:- Rubber dam kits – 4, Autoclaves – 1, Ultrasonic Cleaner – 1, Needle burner with syringe cutter – 2, Rubber dam kits – 5, Pulp Tester-Digital – 2, Glass bead sterilizers – 2, Automatic Developer – 1, Radiovisiography – 1, Bleaching Unit – 1, Magnification loops – 2, Injectable gutta percha – 2, Plaster Dispensers – 2, Vibrator – 2, Ceramic Unit – 1, Casting Machine – 1.

Chemical Lab:- Plaster Dispenser – 2, Model Trimmer with Carborandum Disc – 1, Model Trimmer with Diamond Disc – 1, Heavy Duty Lathe – 2, Lab Micromotor – 3, Ultrasonic Cleaner – 1, Spindle Grinder – 1, Vibrator – 2, Burnout Furnace – 1, Porcelain Furnace – 1, Sandblasting Machine – 1, Lab Airrotor – 1, Pindex System – 1, Circular Saw – 1, Vacuum Mixer – 1, Pneumatic Chisel – 1, Casting Machine – 1.

Oral & Maxillofacial Surgery:- Ultrasonic Cleaner – 1, Needle burner with syringe cutter – 2, Oxygen Cylinder with mask – 1, X-ray Viewers – 1, Computer – 1.

Periodontology:- Needle burner with syringe cutter – 1, Laser – 1.

Orthodontics & Dentofacial Orthopedics:- Unit Mount Scaler – 3, Plaster dispenser – 1, Micromotor – 2, Hydro Solder – 1, Typhodont articulator – 4, Pressure moulding machine – 1.

Paedodontics & Preventive Dentistry:- Ultrasonic Cleaner – 1, Needle burner with syringe cutter – 1, Amalgamator – 1, Rubber dam kit for pedo – 4, Apex Locator – 1, Endo Motor – 1, Injectable gutta percha with condensation – 1, Intra oral x-ray – 1, Automatic Developer – 1, Computer – 1.

Pedo Lab:- Plaster dispenser – 2, Model Trimmer with double disc one diamond and one carborandum disc – 1, Vibrator – 2, Lab micro otor – 3, Steam Cleaner – 1, Pressure moulding machine – 1, Carborandum disc – 1, Diamond disc – 1.

Oral Medicine & Radiology:- Intra oral x-ray unit – 1, Pulp testers – 1, Radiovisiography – 1, General X-ray Unit – 1, Automatic Developers / Dark room – 1, Lead aprons – 1, Lead gloves – 1, Autoclave – 1, Needle Burner with syringe cutter – 2.

Public Health Dentistry:- Autoclaves – 1, Ultrasonic Cleaner – 1, Needle burner with syringe cutter – 4, Intraoral X-ray – 1, Glass bead sterilizers – 1, Metal Cabinet – 1, Portable dental chair – 2, Oxygen Cylinder - 1

5. Observations:-

1. University Affiliation only for the year 2015-16.
2. Biopsy is not performed in Oral Medicine & Radiology.
3. Out of 2 OPL Machines, 1 not in working condition.
4. Sterilization protocol is not followed.
5. Autoclave needs to be repaired.
6. No biomedical waste disposal system in place.
7. No journal subscription for the year 2016.
8. There was only 6 computers were present, no internet connection, library has 25 chairs.
9. Dent. Technician and Dent. Hygienist and their certificates were not shown even after request.
10. Class rooms have no audio-visuals.
11. Bio-metric is non functional.
12. Dr. V.S. Chandrasadagopan, Prof., Biochemistry and Dr. Arun Gnangurapuran, General Pathology have completed 70 years.
13. There is disparity between the staff list provided in the proforma by the college and the staff list in the muster.

Note:- Subject to the confirmation of the said Minutes in the next Executive Committee meeting.