

## DENTAL COUNCIL OF INDIA

Meeting File of the Executive Committee of the Dental Council of India held on 2<sup>nd</sup> December, 2017 (Saturday) at Vivanta by Taj, Sector-21, Dwarka, New Delhi at 3:00 p.m. onwards in respect of compliance cases.

### **7. BDS SECTION MATTERS**

#### **7(11) Kusum Devi Sunderlal Dugar Jain Dental College & Hospital, Kolkata**

To consider the Joint Inspection Report of the Council's Inspectors Dr. A. C. Bhuyan, Guwahati and Dr. Anil Chandra, Lucknow (carried out on 1<sup>st</sup> & 2<sup>nd</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> Year BDS Course with 100 seats at Kusum Devi Sunder Lal Dugar Jain Dental College and Hospital, Kolkata for the academic session 2018-2019.

#### Compliance

1. There are following deficiencies in Man Power Requirement in Various Departments:  
**Nursing Staff:** Matron-1, Sister Incharge-6, O.T. Nurses-6, General Nurses-20, Labour Room Nurses-4  
**Health Staff:** Female Health Assistant-1, Extension Educator Paramedical Staff-1, Lab Technician/Blood Bank Tech-4, ECG Technician-1, Pharmacist-4, Sr. Radiographer-1, CSSD-2, Medical Records-1  
**Other Staff :** Drivers-2, Carpenter-1, Cooks-2, Barber-1, Class IV including chowkidars-55
2. Most of the Class III & IV staff are not regular appointments and are on daily contract basis.
3. The Auditorium with seating space 500 is not there.
4. The boys & girls hostel are under construction.
5. The Dental Mechanics, Dental Hygienist and Radiographer is not found according to the DCI norms.
6. The staff quarters are also under construction.
7. The seating space & the chair tables in library seems to be inadequate.
8. **Biometric Machine:** Due to technical fault the biometric machine is not functioning at present.

#### **7(12) Dental Institute, Rajendra Institute of Medical Sciences, Ranchi**

To consider the Joint Inspection Report of the Council's Inspectors Dr. S.K. Srinath, Bangalore and Col. Dr. R. Dhiman, New Delhi (carried out on 13<sup>th</sup> & 14<sup>th</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> Year BDS Course with 50 seats at Dental Institute, Rajendra Institute of Medical Sciences, Ranchi for the academic session 2018-2019.

#### Compliance

1. There are following deficiencies in Major Equipments:-  
**Prosthodontics and Crown & Bridge:-** Semi adjustable articulator-2, Extra oral/intra oral tracer-2, Lab Micro motor-3, Sand blasting unit-2, Ultrasonic cleaner-1, Hot water sterilizer-1, Geysers-1, Phantom heads-50, Pre-clinical working tables-50  
**Ceramic and Cast Partial Laboratory:-** Plaster Dispenser-2, Duplicator-1, Pindex System-1,

Sandblasting machine-1, Electr-polisher-1, Model Trimmer with Carbrandum disc-1, Model Trimmer with Diamond disc-1, Induction casting machine-1, Programmable porcelain furnace with vacuum pump with instrument kit and material kit-1, Spot welder with soldering, attachment of cable-1, Vacuum mixing machine-1, Wax heater-1, Wax carver-1, Curing pressure pot-1, Heavy duty lathe with suction-1, Ultrasonic cleaner-1, Composite curing unit-1, Micro surveyor-1, PRE-CLINICAL PROSTHETICS LABORATORY (Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool)-30, PRE-CLINICAL PROSTHETICS LABORATORY (Adequate number of lab micro motor with attached hand piece)-10, Plaster dispenser-2, Model Trimmer-1, Carborandum Disc-1, Diamond disc-1.

**Conservative Dentistry and Endodontics:** Dental Chairs and Units-7, Rubber dam kits-4, Restorative instruments kits-5, Autoclaves-2, Ultrasonic cleaner-1, Needle burner with syringe cutter-3, Amalgamator-2, Rubber dam kits-4, Pulp Tester-Digital-2, Apex Locator-1, Glass bead sterilizers-4, Plaster dispensers-2, Vibrator-1, Intra-oral X-ray Unit-1, Automatic Developer-1, Endo motor-1,

**Chemical Laboratory:** Model Trimmer (Carborandum disc)-1, Model Trimmer (Diamond disc)-1, Lathe-1, Lab Micromotor-2, Ultrasonic cleaner-1, Spindle Grinder-1, Vibrator-1, Burnout furnace-1, Porcelain furnace-1, Sandblasting Machine-1, Lab Airrotor-1, Pindex System-1, Circular saw-1, Vacuum mixer-1, Pneumatic chisel-1, Casting machine-1

2. There is deficiency of one Reader in the department of Prosthodontics.
3. There is deficiency of one Professor and one Reader in the department of Conservative Dentistry
4. There are following **Dental Teaching Staff** were on leave/absent on the day of Inspection.
  - (i) Dr. Pankaj Goel, Principal, Public Health Dentistry (13.11.2017)
  - (ii) Dr. Om Prakash, Senior Lecturer, Oral Surgery (13.11.2017 & 14.11.2017)
  - (iii) Dr. Sumit Mohan, Senior Lecturer, Conservative & Endodontics (13.11.2017 & 14.11.2017)
  - (iv) Dr. Santosh Kumar Verma, Senior Lecturer, Periodontics (13.11.2017)
  - (v) Dr. Usha Pandey, Dental Surgeon (absent on 14.11.2017)
5. There are only few books available for dental in the Central Library. There is no departmental library. No Journals in the library.
6. There are deficiencies of 7 lecturers.

7(13) **Jawahar Lal Nehru Institute of Dental Sciences, Imphal**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Girish J. Parmar, Ahmedabad and Dr. Madhu K. Bangalore (carried out on 9<sup>th</sup> & 10<sup>th</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> Year BDS Course with 50 seats at Jawahar Lal Nehru Institute of Dental Sciences, Imphal for the academic session 2018-2019.

### Compliance

1. There are following Dental Teaching Staff / Medical Teaching Staff were absent on the day of Inspection:
  - (i) Dr. Ronel L., Sr. Dental Surgeon, BDS (on 9.11.2017 & 10.11.2017)
  - (ii) Dr. Kh. Birkarmjit Singh, Sr. Dental Surgeon, BDS (on 9.11.2017 & 10.11.2017)
  - (iii) Dr. H. Surajbala Devi, Sr. Dental Surgeon, BDS (on 9.11.2017)
  - (iv) Dr. Tingbem Changsan, Sr. Dental Surgeon, BDS (on 10.11.2017)
  - (v) Dr. L. Kananbala Devi, Sr. Dental Surgeon, BDS (on 10.11.2017)
  - (vi) Dr. Suchitra Chongtham, Assoc. Prof., Biochemistry (on 9.11.2017 & 10.11.2017)
  - (vii) Dr. Supriya L, Assoc. Prof., Microbiology (on 9.11.2017 & 10.11.2017)
  - (viii) Dr. L. Babycha, Assistant Professor, Pharmacology (on 9.11.2017 & 10.11.2017)
2. There is deficiency of one Reader in the department of Oral Pathology and Oral Microbiology.
3. There is deficiency of one Professor in the department of Conservative Dentistry.
4. **Teaching Faculty:** Only one Professor / Principal is available against requirement of 3. 3 Associate Professors are available against required 4. 7 Lecturers and 6 tutors i.e. total 13 are available against 20.
5. **Library:** There is no separate independent library for the dental college it is shared with Medical College. Total titles of book available are not sufficient and current issues of journals are not available.
6. **Equipments:** Only 9 dental chairs available against 50.
7. **Hostel & Staff Quarters:** Are not available in the allotted campus. Dental College is run under Medical College.
8. Required sanctioned post of Dental Staff not available.
9. **Non-Teaching Staff / Ministerial Staff:** Managers/ Office Suptd.-4, Assistants-5, Receptionist-8, Librarian-1, D.S.A.(Chair side Attendant)-10, Dent. Tech. (Dental Mechanic)-6, Dent. Hygst.-1, Photographer-1, Artist-1, Programmer-1, Data Entry Operators-1, Physical Director-1, Engineer-1, Electricians-2, Plumber-1, Carpenter-1, Mason-1, A.C. Tech.-1, Helpers Electrical-1, Sweepers & Scavengers-9, Attenders-12, Security Personal-4, Dept. Secretaries-4, Driver-4, Lab. Technicians-3
10. There are following deficiencies of **Major Equipments** in various departments:  
**Prosthodontics and Crown & Bridge:** Dental Chairs and Units-8, Semi adjustable articulator-2, Extra oral/intra oral tracer-2, Dewaxing unit-1, Curing unit-1, Dental casting machine-1, Wax burnout furnace -1, Pre heating furnace-1,

Surveying unit-1, Plaster Dispenser-2, Model Trimmer with Carborandum Disc-1, Model Trimmer with Diamond Disc-1, Acrylizer-2, Lathe-1, Flask press-4, Deflasking unit-4, Dewaxing unit-2, Hydraulic Press-2, Mechanical Press-1, Vacuum mixing machine-1, Lab Micro motor-3, Curing pressure pot-1, Porcelain furnace-1, Vibrator-1, Sand blasting unit-2, Ultrasonic cleaner-1, Model Trimmer-2, Hot water sterilizer-1, Geysers-1, H.P. grinder with suction-2, Heavy duty lathe-2, Phantom heads-50, Pre-clinical working tables-50

**Ceramic and Cast Partial Laboratory:** Plaster Dispenser-2, Duplicator-1, Pindex System-1, Circular saw-1, Burn out furnace-1, Sandblasting machine-1, Electro-polisher-1, Model Trimmer with Carborandum disc-1, Model Trimmer with Diamond disc-1, Induction casting machine-1, Programmable porcelain furnace with vacuum pump with instrument kit and material kit-1, Spot welder with soldering, attachment of cable-1, Vacuum mixing machine-1, Steam Cleaner-1, Spindle Grinder 24,000 RPM with vacuum suction-1, Wax heater-1, Wax carver-1, Curing pressure pot-1, Milling machine-1, Heavy duty lathe with suction-1, Preheating furnace-1, Palatal trimmer-1, Ultrasonic cleaner-1, Composite curing unit-1, Micro surveyor-1, PRE-CLINICAL PROSTHETICS LABORATORY: Work table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool-60, Adequate number of lab micro motor with attached hand piece-20, PLASTER ROOM FOR PRE-CLINICAL WORK: Plaster dispenser-2, Vibrator-2, Lathe-2, Model Trimmer-1, Carborandum Disc-1, Diamond disc-1

**Conservative Dentistry and Endodontics:** Dental Chairs and Units-17, Rubber dam kits-4, Ultrasonic cleaner-1, Amalgamator-2, Rubber dam kits-4, Pulp Tester-Digital-2, Apex Locator-1, Glass bead sterilizers-4, Plaster dispensers-2, Vibrator-1, Ceramic Unit-1, Casting machine-1, Automatic Developer-1, Bleaching unit-1, Magnification loops-1, Injectable gutta percha-1, PHANTOM LAB UNIT-30

**Chemical Laboratory:** Plaster Dispenser-2, Model Trimmer with Carborandum disc-1, Model trimmer with diamond disc-1, Lathe-1, Lab Micromotor-2, Ultrasonic cleaner-1, Spindle Grinder-1, Vibrator-1, Burnout furnace-1, Porcelain furnace-1, Sandblasting Machine-1, Lab Airrotor-1, Pindex System-1, Circular saw-1, Vacuum mixer-1, Pneumatic chisel-1, Casting machine-1

**Oral Pathology and Oral Microbiology:** Dental Chairs and Units-1, Microscopes-20, Microtome-1, Wax bath-1, Water bath-1, Knife sharpener-1, Hot plate-1, Spencer knife-1

7(15) **Govt. Dental College, Alappuzha**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Naresh Kumar, Varanasi and Dr. M. Kavita, Chennai (carried out on 9<sup>th</sup> & 10<sup>th</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for admitted 5<sup>th</sup> batch of students in BDS Course with 50 seats at Govt. Dental College, Alappuzha for the academic session 2018-2019.

Compliance

1. There are following Dental / Medical Teaching Staff were absent on the day of Inspection:
  - (i) Dr. Revathy Bharathan, Assistant Prof./ Sr. Resident, Oral Pathology (on 09.11.2017 & 10.11.2017)
  - (ii) Dr. Sajay PS, Asst. Professor, Anatomy (on 09.11.2017 & 10.11.2017)
  - (iii) Dr. Jacob Varghese, Associate Professor, Physiology (on 09.11.2017 & 10.11.2017)
  - (iv) Dr. Sushma, Asst. Professor, General Pathology (on 09.11.2017 & 10.11.2017)
  - (v) Dr. P.B. Vinod, Associate Professor, General Surgery (on 09.11.2017 & 10.11.2017)
2. There is deficiency of one Reader in the department of Public Health Dentistry.
3. There is deficiency of one lecturer in the department of General Pathology.
4. There are following deficiencies of Major Equipments in various departments:

**Prosthodontics and Crown & Bridge:** Autoclave-1, Model Trimmer with diamond disc-1, Deflasking unit-1, Lab Micro mortar-2, H.P. grinder with suction-2, Phantom Heads-26

**Ceramic and Cast Partial Laboratory:** Duplicator-1, Spot welder with soldering attachment of cable-1, Wax heater-1, Wax carver-1, Palatal Trimmer-1, Micro Surveyor-1, PLASTER ROOM FOR PRE-CLINICAL WORK: Plaster dispenser-1

**Conservative Dentistry and Endodontics:** Plaster dispenser-2, Vibrator-1, Ceramic unit-1, Casting machine-1, Bleaching unit-1

**Chemical Laboratory:** Plaster dispenser-2, Model Trimmer with Carborandum disc-1, Model trimmer with diamond disc-1, Lathe-1, Lab Micromotor-2, Spindle Grinder-1, Vibrator-1, Burnout furnace-1, Preocelain furnace-1, Sandblasting Machine-1, Lab Micromotor-1, Pindex System-1, Circular saw-1, Vacuum mixer-1, Pneumatic chisel-1, Casting machine-1

**Periodontology:** Autoclave-1, Surgical motor with physio dispenser-1

**Orthodontics:** Plaster dispenser-2, Micromotor-2, Typhodont articulator-3, Pressure moulding machine-1

**Paediatric and Preventive Dentistry:** Amalgamator-1, Pulp Tester-Digital-1, Rubber dam kit for pedo-3, Apex locator-1, Endo motor-1, Injectable gutta percha with condensation-1, Radiovisiography-1, Intra-oral X-ray-1

**Pedo Lab:** Plaster dispenser-2, Model Trimmer with diamond disc-1, Model Trimmer double disc one diamond and one Carborandum disc-1, Vibrator-2, Steam cleaner-1, Pressure moulding machine-1, Carborandum disc-1, Diamond disc-1

7(16) **Govt. Dental College, Thrissur**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Ramita Sood, Ahmedabad and Dr. G.S. Amarnath, Bangalore (carried out on 9<sup>th</sup> & 10<sup>th</sup> November, 2017) to verify the achievement of annual target for renewal of 4<sup>th</sup> year BDS course with 50 seats at Govt. Dental College, Thrissur for the academic session 2018-2019.

Compliance

1. There are following Dental Teaching Staff were absent on the day of Inspection:
  - (i) Dr. Aiswarya T, MDS, Assistant Professor, Oral Pathology (on Maternity leave)
  - (ii) Dr. Sangeetha, MDS, Oral Medicine (on Medical leave)
2. There are deficiencies of two Readers i.e. Orthodontics-1 and Public Health Dentistry-1
3. There are following deficiencies of Major Equipments in various departments:
  - Ceramic and Cast Partial Laboratory:** Model Trimmer-1
  - Conservative Dentistry and Endodontics:** Pulp Tester-Digital-1
  - Chemical Laboratory:** Lab Micromotor-1
  - Oral & Maxillofacial Surgery:** Needle burner with syringe cutter-1
  - Paediatric and Preventive Dentistry:** Rubber dam kit for pedo-2
  - Oral Medicine & Radiology:** Dental Chairs and Unit-5
  - Public Health Dentistry:** Intra oral x-ray-1

7(17) **Govt. College of Dentistry, Indore**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Atul Bhatnagar, Varanasi and Dr. Jigyasa Duhan, Rohtak (carried out on 9<sup>th</sup> & 10<sup>th</sup> November, 2017 to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> year BDS Course with increased intake capacity from 40 to 50 at Govt. College of Dentistry, Indore for the academic session 2018-2019.

**COMPLIANCE**

1. There are following deficiencies in Man Power Requirement:-
  - Health Staff:-** Pharmacist-3, Medical Records-1
  - Engineering Staff:-** Civil-1, Mechanical-2, Electrical-1, Engineering Aid-4
  - Other Staff:-** Drivers-2
2. There are following **Dental Teaching Staff** were on leave on the day of Inspection:
  - (i) Dr. Sourabh Gupta, Reader, Conservative Dentistry on medical leave. (09.11.2017 & 10.11.2017)
  - (ii) Dr. Nelima Pagare, Tutor, Conservative Dentistry on study leave. (09.11.2017 & 10.11.2017)
  - (iii) Dr. Rashi Yadav, Sr. Lecturer Oral & Maxillofacial Surgery on leave. (09.11.2017 & 10.11.2017)
  - (iv) Dr. Vidhya Balke, Tutor, Oral & Maxillofacial Surgery on study leave. (09.11.2017 & 10.11.2017)
  - (v) Dr. Yojna Atram, Tutor, Orthodontics on maternity leave. (09.11.2017 & 10.11.2017)
  - (vi) Dr. Arvind Jain, Lecturer, Conservative Dentistry (10.11.2017)
3. There are deficiencies of 4 lecturers in Dental Teaching staff.

4. There is deficiency of 1 Professor and 1 Reader in the department of Conservative Dentistry.
5. There is deficiency of 1 Professor in the department of Periodontics.
6. There is deficiency of 1 Reader in the department of Oral Pathology.
7. There are shortage of Administrative **NON-TEACHING STAFF/ MINISTERIAL STAFF** :- Managers/Office Supdt.-3, Assistant- 8, Receptionist-8, D.S.A(Chair side Attendant)-10, Dental Tech. (Dental Mechanic)-3, Dental Hygst.-3, Radiographer-1, Artist-1, Engineer-1, Mason-1, A.C.Tech.-1, Sweepers & Scavengers-10, Attenders-18, Security Personal-5, Dept. Secretaries-4, Driver-4, Nurses-1, Lab Technicians-2.
8. There are following deficiencies in Major Equipments:-  
**Prosthodontics and Crown & Bridge:-** Phantom heads-30.  
**Conservative Dentistry and Endodontics:** Rubber dam kits-3, R.C.T. instrument kits-4, Amalgamator (with auto proportion, auto dispenser)-1, Rubber dam kits-3, Pulp Tester-Digital-1, Apex Locator-1, Glass bead sterilizers-2, Automatic Developer-1, Endo motor(With torque control Hps)-1, Bleaching unit-1, Magnification loops-1, Injectable gutta percha-1, Phantom lab unit-10

#### 7(19) ESIC Dental College, Gulbarga

To consider the Joint Inspection Report of the Council's Inspectors Dr. A. Venkatesh, Chennai and Dr. Radhika Muppa, Krishna Dist. (carried out on 10<sup>th</sup> & 11<sup>th</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> Year BDS Course with 50 seats at ESIC Dental College, Gulbarga for the academic session 2018-2019.

#### COMPLIANCE

1. Dr. Satishkumar D, Reader, Biochemistry was absent on the day of Inspection.
2. There is deficiency of one Professor in the department of Conservative Dentistry.
3. There are deficiencies of two Readers in each department i.e. Prosthodontics and Crown & Bridge-1 and Oral Pathology and Oral Microbiology-1.
4. There are deficiencies of 11 Lecturers.
5. There is deficiency of one Lecturer in the department of Biochemistry.
6. **Non-Teaching Staff / Ministerial Staff:** Dent. Tech. (Dental Mechanic)-6, and Dent. Hygst.-3
7. **Dental Chairs / Units:** Out of 50 Dental Chairs only 20 Dental Chairs are available.
8. There are following deficiencies of **Major Equipments** in various departments:  
**Prosthodontics and Crown & Bridge:** Dental Chairs and Units-7, Semi adjustable articulator-2, Extra Oral tracer-1, Curing unit-1, Dental casting machine-1, Autoclave-1, Plaster dispenser-1, Acrylizer-1, Flask press-3, Deflasking unit-3, Dewaxing unit-2, Hydraulic Press-1, Mechanical Press-1, Lab Micro motor-2, Sand blasting unit-2, Ultrasonic cleaner-1, Model Trimmer-2, Geyser-1, Phantom Heads-50, Pre-clinical working tables-50  
**Ceramic and Cast Partial Laboratory:** Plaster Dispenser-2, Burn out furnace-1, Sandblasting machine-1, Model trimmer with Carborandum disc-1, Model

trimmer with Diamond disc-1, Induction casting machine-1, Spot welder with soldering, attachment of cable-1, Vacuum mixing machine-1, Curing pressure pot-1, Milling machine-1, Preheating furnace-1, PRE-CLINICAL PROSTHETICS LABORATORY: Working table preferably complete stainless steel fitted with light, Bunsen burner, air blower, working stool-60, Adequate number of lab micro motor with attached hand piece-20, PLASTER ROOM FOR PRE-CLINICAL WORK: Plaster dispenser-2, Vibrator-2, Lathe-2, Model Trimmer-1, Carborandum disc-1, Diamond disc-1

**Conservative Dentistry and Endodontics:** Dental Chairs and Units-7, Autoclave-2, Ultrasonic Cleaner-1, Plaster dispensers-2, Vibrator-1, Ceramic unit-1, Casting machine-1, Automatic developer-1, Bleaching unit-1, PHANTOM LAB UNIT-30

**Chemical Laboratory:** Plaster dispenser-2, Model trimmer carborandum disc-1, Model trimmer diamond disc-1, Lathe heavy duty-1, Lab Micromotor-2, Ultrasonic cleaner-1, Vibrator-1, Burnout furnace-1, Porcelain furnace-1, Sandblasting machine-1, Lab Airrotor-1, Circular saw-1, Vacuum mixer-1, Pneumatic chisel-1, Casting machine-1

**Oral Pathology and Oral Microbiology:** Dental Chairs and Units-1

7(20) **Govt. Dental College and Research Institute, Bellary**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Devendra Choudhary, Sri Ganganagar and Dr. G.S. Chandu, Bhopal (carried out on 10<sup>th</sup> & 11<sup>th</sup> November, 2017) to verify the achievement of the annual target for admitting next batch of students in BDS Course with 50 seats at Govt. Dental College and Research Institute, Bellary for the academic session 2018-2019.

**Compliance**

1. There are shortage of Administrative **NON-TEACHING STAFF/ MINISTERIAL STAFF** :- Receptionist-5, Dental Tech. (Dental Mechanic)-5, Dental Hygst.-2, Physical Director-1, Mason-1, Sweepers & Scavengers-10, Attenders-11, Dept. Secretaries-2, Driver-3, Lab Technicians-2.
2. There are following deficiencies in Major Equipments:-  
**Prosthodontics and Crown & Bridge:-**Extra oral/intra oral tracer-2, Heavy duty lathe-1  
**Oral & Maxillofacial Surgery:-**X-ray viewers-1, Computer-1.  
**Periodontology:** Scaling instrument sets-4, Surgical instrument sets-2.  
**Paediatric and Preventive Dentistry:-** Injectable gutta percha with condensation-1, Computer-1.  
**Oral Medicine & Radiology:** X-ray viewer-1, General X-ray Unit-1,  
**Public Health Dentistry:-** Dental chair with unit-2, Autoclaves-1, Intra oral x-ray-1, Glass bead sterilizers-1, Compressor-1, Metal Cabinet-1, Portable dental chair-2, Stabilizer-1, Generator-1, Water tank-1, Oxygen cylinder-1, Public address system-1, TV and video cassette player-1.
3. There are following **Dental Teaching Staff** was on leave on the days of Inspection.  
(i) Dr. S. Diwakar, Professor, Orthodontics (10.11.2017)

- (ii) Dr. Hanumanth Kumar, Reader, Periodontics (10.11.2017 & 11.11.2017).
  - (iii) Dr. Rachana K. B., Reader, Prosthodontics & Crown Bridge. (10.11.2017 & 11.11.2017)
  - (iv) Dr. S.T. Srinivas Murthy S., Reader, Pedodontics (deputed to RUHS, Bangalore) (10.11.2017)
  - (v) Dr. Sumanth G, Tutor, Pedodontics. (10.11.2017)
  - (vi) Dr. Manjunatha R. K. Reader, Conservative Dentistry & Endodontics. (10.11.2017)
  - (vii) Dr. Vikas R, Tutor, department of department of Conservative Dentistry & Endodontics. (10.11.2017 & 11.11.2017).
4. There are following **Medical Teaching Staff** were on leave both the days.
    - (i) Dr. Mallikarjuna, Professor, Anatomy (10.11.2017 & 11.11.2017)
    - (ii) Dr. Shadakshari. G, Asso. Professor, Pathology (10.11.2017 & 11.11.2017)
  5. There is deficiency of one Reader in the department of Oral Pathology.
  6. The Reader in Pedodontics is working in RGUHS Bangalore on deputation was present on 2<sup>nd</sup> day of Inspection.
  7. There is no computers/Internet room.
  8. Computers are not provided to departments.
  9. There are deficiencies of 11 lecturers.
  10. There is only 48 news patient on 2<sup>nd</sup> day of Inspection against the requirement of 75-100 per day.
  11. There is no photocopying area.
  12. Library is lacking and seating arrangement in E-Library.

7(21) **Government Dental College and Hospital, Aurangabad**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Mala Kamboj, Rohtak and Dr. Suma, Bangalore (carried out on 9<sup>th</sup> & 10<sup>th</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for admitted 5<sup>th</sup> batch of students in BDS Course with increased intake capacity from 40 to 50 seats at Government Dental College and Hospital, Aurangabad for the academic session 2018-2019.

Compliance

1. There are following deficiencies in Major Equipments:-**Minor Surgery**- Dental Chairs and Units-3  
**Oral Medicine and Radiology**:-X-ray Hangers-6, Ortho Pantmograph-1

7(28) **Patna Dental College & Hospital, Patna**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Abhishek Sinha, Lucknow and Dr. Sheeba Sharma, Moradabad (carried out on 23<sup>rd</sup> & 24<sup>th</sup> November, 2017) for the Central Government permission for admitting fresh batch of students in BDS Course with 40 seats at Patna Dental College & Hospital, Patna for the academic session 2018-2019.

Compliance

1. **Non-Teaching Staff / Ministerial Staff:** D.S.A. (Chair side attendant)-10, Dent. Tech.(Dental Mechanic)-2, Artist-1, Data Entry Operator-1, Physical Director-1, Electricians-1, Helpers Electrical-1, Driver-4, Nurses-2

2. There are following Deficiencies of **Major Equipments** in Various departments:  
**Oral Medicine and Radiology:** Panoramic X-ray with Cephalometric-NA, Automatic Panoramic with Cephalometric X-ray Developer-NA, Ortho Pantmograph-NA, Lead Gloves-NA  
**Public Health Dentistry:** Mobile Clinic-NA, Mobile Dental Van-NA, Dental Chair with Unit-NA, Autoclaves-NA, Intraoral X-ray-NA, Glass bead sterilizers-NA, Compressor-NA, Metal Cabinet-NA, Portable dental chair-NA, Stabilizer-NA, Generator-NA, Water tank-NA
3. No annexure XIV enclosed in respect of procurement of deficiency.

7(33) **S.M.B.T. Institute of Dental Sciences & Research, Nandihills, Nashik**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Binu Purushothaman, Calicut and Dr. Gaurav Singh, Lucknow (carried out on 27<sup>th</sup> & 28<sup>th</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for 3<sup>rd</sup> Year BDS Course with 100 seats at S.M.B.T. Institute of Dental Sciences & Research, Nandihills, Nashik for the academic session 2018-2019.

Compliance

- There are deficiency in Non Teaching Staff/Ministerial Staff i.e. Managers/Office Suptd.-2, Assistants-4, Receptionist-5, D.S.A.(Chair side Attendant)-10, Dent. Tech. (Dental Mechanic)-3, Dent. Hygst.-2, Radiographer-1, Data Entry Operatos-1 Electricians-2, Plumber-1, Helpers Electrical-1, Sweepers & Scavengers-6, Attenders-7, Dept. Secretaries-3, Driver-1, Nurses-3, Lab. Technicians-2.**

7(34) **Care Dental College, Guntur**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Ashish Jain, Chandigarh and Dr. Pradeep Jain, Jaipur (carried out on 27<sup>th</sup> & 28<sup>th</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for 2<sup>nd</sup> Year BDS Course with 50 seats at Care Dental College, Guntur for the academic session 2018-2019.

**Compliance**

1. UGC payscales not given to faculty, instead a fixed salary is paid, no document regards selection committee.
2. TDS/Form 16 of (a) Dr. Zakir Hussain, Prof. in Prosthodontics and (b) Dr. Mohd. Arif Sheikh, Reader in Conservative for last financial year not provided.
3. AERB Certificate of radiology room is not provided.
4. No auditorium constructed.
5. Medical Staff is shown as staff of Guntur Medical College & Hospital, for which the dental college is attached with.
6. Medical labs shown are situated at Guntur Medical College (Anatomy, Physiology & Biochemistry).

7(38) **Malabar Dental College & Research Centre, Malappuram**

To consider the Joint Inspection Report (received by email) of the Council's Inspectors Dr. Rohit Adyanthaya, Jaipur and Dr. Neeraj Agrawal, Bhopal (carried out on 28<sup>th</sup> & 29<sup>th</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for admitted 5<sup>th</sup> batch of students in BDS Course with increased intake capacity from 50 to 100 seats at Malabar Dental College & Research Centre, Malappuram for the academic session 2018-2019.

Compliance

1. The address proof provided found to be fake on all the bill (telephone) having same customer id (9017247893).
2. Boy hostel is out of the campus which do not have mess.
3. There is no Principal Bunglow. It is attached with ground floor of girls hostel Block C.
4. Auditorium and Examination Hall are the same.
5. No Staff quarters in the campus.
6. There is deficiency of library as per DCI 50% seating capacity but there was only 130 seating available.
7. Both M.O.U. (2014 & 2016) with Govt. Hospital was only for 50 students in which only 10 students will be permitted to attend the training programme.
8. No mess available for boys.
9. Space deficiency in UG in all dept. for dental chairs.
10. **Dental Chairs / Units:** Out of 205 dental chairs only 1 dental chair is electrical operated and 204 dental chairs are non electrically operated – required 200 electrically operated.
11. **Oral Medicine and Radiology:** Space allocation for each dental chair 100 sq ft in all the departments: Required space 1200- Not available
12. **Mobile Dental Van:** Dental Chair and Unit-1, Intraoral X-ray-1, Compressor-1, Metal Cabinet-1, Portable dental chair-2, Stabilizer-1, Generator, Water tank-1, Oxygen cylinder-1, Public address system-1, TV and video cassette player-1, Demonstration models-1

7(39) **PSM College of Dental Sciences and Research, Thrissur**

To consider the Joint Inspection Report of the Council's Inspectors Dr. Yusuf K Chunnawala, Pune and Dr. Ajay Kubavat, Visnagar (carried out on 28<sup>th</sup> & 29<sup>th</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for admitted 5<sup>th</sup> batch of students in BDS Course with increased intake capacity from 50 to 100 seats at PSM College of Dental Sciences and Research, Thrissur for the academic session 2018-2019.

Compliance

1. There are following Medical Teaching Staff were absent on the day of Inspection:
  - (i) Dr. Bhima Bhat, Asso. Prof. & HOD, Physiology
  - (ii) Dr. Naseel Salim, Reader, Microbiology
  - (iii) Dr. Subrahmanya Bhat A, Reader, Anesthesia

7(40) **Indira Gandhi Institute of Dental Sciences, Kothamangalam, Kerala**

To consider the Joint Inspection Report (received by email) of the Council's Inspectors Dr. Nikhil Srivastava, Meerut and Dr. Muthu, Chennai (carried out on 28<sup>th</sup> & 29<sup>th</sup> November, 2017) to verify the achievement of the annual target for renewal of the Central Government permission for admitted 5<sup>th</sup> batch of students in BDS Course with increased intake capacity from 50 to 100 seats at Indira Gandhi Institute of Dental Sciences, Kothamangalam, Kerala for the academic session 2018-2019.

**Compliance**

1. No Separate Ceramic & Casting Lab in Conservative Dentistry Department. (they share it with Prosthodontics).
2. No Separate Pre-Clinical (Phantom) lab in Prosthetic dept. (being shared by Conservative lab).
3. **Hostel:** No Visitor's room in any of the hostels.  
No Recreation room/facilities in any of the hostels.
4. Auditorium is under construction.
5. **There are deficiency in Non Teaching Staff/Ministerial Staff i.e. Managers/Office Suptd.-3, Assistants-4, Receptionist-5, D.S.A. (Chair side Attendant)-7, Dent. Tech. (Dental Mechanic)-4, Dent. Hygst.-2, Radiographer-1, Electricians-2, Plumber-1, Helpers Electrical-2, Sweepers & Scavengers-3, Attenders-7, Security Personal-1, Dept. Secretaries-3, Nurses-6, Lab. Technicians-2**
6. There are following deficiencies of **Major Equipments** in various departments:  
**Prosthodontics:** Dental casting machine-1, Surveying unit-1, Autoclave-1, Model trimmer with diamond disc-2, Hydraulic Press-2, Hot water sterilizer-2, H.P. grinder with suction-3, Phantom Heads-50 not available.  
**Ceramic and Cast Partial Laboratory:** Duplicator-1, Circular saw-1, Electro-polisher-1, Model trimmer with diamond disc-1, Induction casting machine-1, Spot welder with soldering attachment of cable-1, Milling machine-1, Composite curing unit-1, Micro surveyor-1, diamond disc-1  
**Conservative Dentistry and Endodontics:** Ceramic unit-1, Casting machine-1, Radiovisiography-1  
**Chemical Laboratory:** Ultrasonic cleaner-1, Spindle Grinder-1, Vibrator-2, Burnout furnace-1, Porcelain furnace-1, Sandblasting Machine-1, Lab Airrotor-1, Pindex System-1, Circular saw-1, Vacuum mixer-1, Pneumatic chisel-1, Casting machine-1  
**Oral & Maxillofacial Surgery:** Autoclaves-1, Ultrasonic cleaner-1  
**Periodontology:** Dental Chairs and Units 34 available (Atleast 25% of the units should have the Airpolisher- only 3 available).  
**Orthodontics:** Autoclave-1  
**Paediatric and Preventive Dentistry:** Dental Chairs and Units-20 available (No Pedo Chairs), Ultrasonic cleaner-1, Radiovisiography-1 (digital intra X-ray system with pedo sensor and software).

**Pedo lab:** Plaster dispenser-1, Model Trimmer-1, Steam cleaner-1, Pressure moulding machine-1, Carborandum Disc-1, Diamond disc-1

**Oral Medicine and Radiology:** Panoramic X-ray with Cephalometric-1, Preferably digital, Automatic periapical X-ray developer-1, Autoclave-1

**Public Health Dentistry:** Autoclave-1, Ultrasonic cleaner-1

**Note :** Subject to the confirmation of the said Minutes in the next Executive Committee meeting